

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/42

Paper 4 (Extended)

October/November 2016

MARK SCHEME
Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Abbreviations

awrt answers which round to correct answer only cao

dep dependent

follow through after error ignore subsequent working FΤ isw

or equivalent Special Case oe SC

not from wrong working seen or implied nfww

soi

Qu	estion	Answer	Mark	Part Marks
1	(a)	171	1	
	(b)	10	1	
	(c)	172	1	
	(d)	4	2	B1 for 170 or 174 seen
	(e)	172.1	2	M1 for attempt at $\sum fx$ soi by 24099 or 172 or 172.1
2	(a)	2.83 or 2.828	3	B2 for $\sqrt{8}$ or $2\sqrt{2}$ final answer or M2 for $2^2 + 2^2$ or M1 for correct sketch
	(b)	225 cao	2	B1 for 45 soi by e.g. 135 If 0 scored SC1 for 224.9 to 225.1
	(c)	8 cao	2	M1 for $2 \times 3 + 0.5 \times 2 \times 2$ oe
3	(a)	Positive	1	
	(b) (i)	12.15	1	
	(ii)	66	1	
	(c) (i)	y = 37.2 + 2.37x	2	Range 37.20 to 37.21 and 2.369 to 2.370 B1 for $37.2 + kx$, or $a + 2.37x$, If 0 scored, SC1 for $37 + 2.4x$
	(ii)	82 or 82.2	1	FT their (i)

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Qu	estion	Answer	Mark	Part Marks
4	(a)	48	1	
	(b)	84	2	FT $(180 - 2 \times their (a))$, their $(a) \neq 45$ M1 for $(180 - 2 \times their (a))$ their $(a) \neq 45$
	(c)	42	1	FT <i>their</i> (b) ÷ 2
	(d)	69 cao	2	B1 for angle OBC or $OAC = 21$ or angle $ABC = 69$
	(e)	55.5	2	FT their (d) M1 for (180 – their (d)) ÷ 2
5	(a)	36.7 or 36.68 to 36.69	2	B1 for at least 3 of (7.5, 17.5, 30, 42.5, 70) soi by 4402.5 Accept 37.2 or 37.18 to 37.19 for full marks and 3 of (8, 18, 30.5, 43, 70.5) soi for B1
	(b)	0.8, 3.6, 2.6, 2.7, 1.47 or 1.466 to 1.467, 0.7	3	B2 for 4 or 5 correct or B1 for 2 or 3 correct
6	(a)	Reflection $y = x$	2	B1 for each
	(b)	Rotation, centre (2, 3) 90 [anticlockwise] or 270 clockwise	2	B1 for each
	(c)	Translation $\begin{pmatrix} -4 \\ 3 \end{pmatrix}$	2	B1 for each
	(d)	Enlargement, centre (0, 0)	2	Allow reduction
		[SF] $\frac{1}{3}$ oe		B1 for each
7		Correctly equating one set of coefficients	M1	Equation $x = \text{or } y = \text{from one equation}$
				Note – a correct sketch showing intersection in third quadrant scores M2 (other sketches may score the M1 for $y = \dots$ seen)
		Correct method to eliminate one variable	M1	Correct substitution into other equation
		$x = -2$ $y = -\frac{1}{2}$	B2	B1 for each If zero scored SC1 for correct substitution into one of original equations and evaluation to find other variable

Page 4	Mark Scheme		Paper
	Cambridge IGCSE – October/November 2016	0607	42

Qu	estion	Answer	Mark	Part Marks
8	(a)	$\frac{\sqrt{8}}{3}$ or $\frac{2\sqrt{2}}{3}$ or $\sqrt{\frac{8}{9}}$	3	M2 for $\frac{\sqrt{3^2-1^2}}{3}$ or M1 for 3^2-1^2
				If 0 scored, SC1 for 0.943 or 0.9428 or $\sqrt{0.889}$
	(b) (i)	$[\cos B] = \frac{9^2 + 10^2 - 11^2}{2 \times 9 \times 10} \text{ oe}$	2	M1 for $11^2 = 9^2 + 10^2 - 2 \times 9 \times 10 \times \cos B$
	(ii)	$0.5 \times 9 \times 10 \times their$ exact (a)	M2	M1 for $0.5 \times 9 \times 10 \times their$ (a) (their (a) must be < 1)
		Leading to $30\sqrt{2}$	A1	Cancelling seen or $\frac{180\sqrt{2}}{6}$ or $\frac{90\sqrt{2}}{3}$ or $\frac{60\sqrt{2}}{2}$ seen
9	(a)	21.5 or 21.45 to 21.46	2	M1 for $100 - \pi \times 5^2$ oe
	(b) (i)	5.77 or 5.773 to 5.774	2	M1 for $\tan 60 = \frac{10}{x}$ oe
	(ii)	21.5 or 21.54 to 21.55	2	M1 for $10 + 2 \times their$ (b)(i) oe or $10 + \frac{10}{\sin 60}$ oe
	(iii)	100 to 101.0 nfww	4	M3 for $0.5 \times 10 \times their$ (b)(i) + $0.5 \times 10 \times their$ (b)(i) + $0.5 \times 10 \times 10 \sin 60$ oe or M2 for any 2 of these or M1 for any 1 of these
				OR
				M3 for $0.5 \times (their(b)(ii))^2 \times \sin 60 - 10^2$ oe or M2 for $0.5 \times (their(b)(ii))^2 \times \sin 60$ oe or M1 for their attempt at area of triangle ABC - 100

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Que	estion	Answer	Mark	Part Marks
10	(a)	Fully correct curve	3	B2 for both branches but with serious 'curl back' and/or overlap. or B1 for 1 branch
	(b)	$\begin{vmatrix} x = 2 \\ y = 3 \end{vmatrix}$	2	B1 for each
	(c)	$\begin{bmatrix} x =] -4 \\ [x =] 3 \end{bmatrix}$	2	B1 for each
	(d)	$ \begin{vmatrix} x < -4 \\ 2 < x < 3 \end{vmatrix} $	1 2	FT their –4 from (c) FT their 2 from (b) and their 3 from (c) B1 for each
	(e) (i)	Translation $\begin{pmatrix} 2 \\ 0 \end{pmatrix}$	2	B1 for each
	(ii)	Translation $\begin{pmatrix} 0 \\ 3 \end{pmatrix}$	2	B1 for each
11	(a)	$ \begin{array}{c} 216 \\ n^3 \text{ oe} \end{array} $	1 1	
	(b)	$\frac{43}{n^2 + n + 1}$ oe	1 3	M2 for $pn^2 + qn + c$ $p, q, c \neq 0$ or M1 for second differences = 2 or $pn^2 + c$ or $pn^2 + qn$
	(c)		1 3	FT their (a) – their (b) FT their (a) – their (b) M2 for $pn^3 + qn^2 + rn + c$ $p, q, r, c \neq 0$ or n^3 – their (b) or M1 for third differences = 6 or for $pn^3 + qn^2 + c$ or $pn^3 + qn^2 + rn$ or $pn^3 + rn + c$

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
12 (a) (i)	144π	2	M1 for $\frac{2}{3} \times \pi \times 6^3$
(ii)	108π	2	M1 for $2\pi \times 6^2 + \pi \times 6^2$ If 0 scored SC1 for 72π
(b) (i)	12 or 11.99 to 12.01 nfww	3	M2 for $\frac{their(a)(i)\times 16}{\frac{4}{3}\pi}$ oe
			or M1 for $\frac{4}{3} \times \pi \times r^3 = their(a)(i) \times 16$
(ii)	1:3 or $\frac{1}{3}$:1 cao nfww	3	M2 for $4 \times \pi \times (their(b)(i))^2 : 16 \times their(a)(ii)$ oe or M1 for $4 \times \pi \times (their(b)(i))^2$ or $16 \times their(a)(ii)$
13 (a)	$\frac{p^3q^2}{6}$ final answer	3	M1 for correct use of $a \log b$ M1 for correct use of $\log a \pm \log b$
(b) (i)	1.29 or 1.292	3	M2 for $\frac{\log 6}{\log 4}$ or $\log_4 6$ or sketch of $y = 4^x$
			and $y = 6$ oe or M1 for $x\log 4 = \log 6$ or sketch of $y = 4^x$
(ii)	$6x^2 - 5x - 7 = 0$	B2	or B1 for 3 terms correct in expansion $6x^2 - 9x + 4x - 6$
	$x = \frac{-(-5) \pm \sqrt{(-5)^2 - 4 \times 6 \times (-7)}}{2 \times 6}$	M1	FT their three term quadratic or for sketch of parabola with minimum point
			Alternative If sketch of parabola with minimum point and $y = 1$ and no three term quadratic seen, allow B3
	x = 1.57 or 1.574 x = -0.741[01]	B2	B1 for each

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0607	42

Question	Answer	Mark	Part Marks
14 (a)	Fully correct curve 12 y 10 + 8 + 6 + 4 + 2 - 2 - 4 - 6 + 8 + -10 +	4	B1 for correct graph for $x < 0$, minimum point seen above x -axis B1 for correct graph for $0 < x < 2$, maximum point seen higher than minimum point B1 for minimum point seen below x -axis, $2 < x < 8$ If 0 or 1 scored, SC2 instead for 'correct curve' except stationary point of inflexion instead of LH minimum and maximum
(b)	0.729 or 0.7287 -10.3 or -10.26	2	B1 for each
(c)	(1.31 or 1.311 to 1.312, 1.73[0])	2	B1 for each co-ordinate
(d)	-2.82, 0.364, 4.23, 5.76 or -2.824 to -2.823 0.3643 to 0.3644 4.228 to 4.229 5.758	4	B1 for each If 0 scored SC2 for -2.8, 0.36, 4.2, 5.8 or SC1 for three of these.