



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

**CHEMISTRY**

**5070/01**

Paper 1 Multiple Choice

**May/June 2008**

**1 hour**

Additional Materials: Multiple Choice Answer Sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)



**READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

**Read the instructions on the Answer Sheet very carefully.**

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.



Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

This document consists of **15** printed pages and **1** blank page.



- 1 Oxygen was prepared from hydrogen peroxide and collected as shown in the diagram.



The first few tubes of gas were rejected because the gas was contaminated by

- A water vapour.
  - B hydrogen peroxide.
  - C hydrogen.
  - D nitrogen.
- 2 The table gives the properties of four substances.

Which substance is a solid metal at room temperature?

	melting point /°C	boiling point /°C	electrical conductivity when solid	electrical conductivity when molten
<b>A</b>	808	1465	x	✓
<b>B</b>	98	890	✓	✓
<b>C</b>	119	445	x	x
<b>D</b>	-39	357	✓	✓


key

✓ = conducts

x = does not conduct

- 3 Nitrogen dioxide is a dark brown gas and is more dense than air.

A gas jar containing nitrogen dioxide is sealed with a glass plate and is then inverted on top of a gas jar containing air.



The glass plate is removed.

Which one of the following correctly describes the colours inside the gas jars after a long period of time?

	upper gas jar	lower gas jar
<b>A</b>	brown	brown
<b>B</b>	dark brown	light brown
<b>C</b>	colourless	dark brown
<b>D</b>	light brown	dark brown

- 4 A student tested a solution by adding aqueous sodium hydroxide. A precipitate was **not** seen because the reagent was added too quickly.

What could **not** have been present in the solution?

- A**  $Al^{3+}$       **B**  $Ca^{2+}$       **C**  $NH_4^+$       **D**  $Zn^{2+}$

- 5 Which substance has a giant molecular structure at room temperature?

- A** methane  
**B** sand  
**C** sodium chloride  
**D** water


- 6 When a covalent liquid boils its molecules become more widely spaced.

Which property of the molecules has the most influence on the energy required to boil a covalent liquid?

- A the forces of attraction between the molecules
- B the reactivity of the molecules
- C the shape of the molecules
- D the strength of the covalent bonds in the molecules

- 7 The diagram shows the chromatogram obtained by analysis of a single dye.


Three measurements are shown.



How is the  $R_f$  value of the dye calculated?

- A  $\frac{x}{x+y}$
  - B  $\frac{y}{x+y}$
  - C  $\frac{x}{x+y+z}$
  - D  $\frac{y}{x+y+z}$
- 8 The atoms  ${}^{64}_{29}\text{Cu}$  and  ${}^{65}_{30}\text{Zn}$  have the same
- A nucleon number.
  - B number of electrons.
  - C number of neutrons.
  - D proton number.

- 9 Why does molten sodium chloride conduct electricity?
- A An electron is completely transferred from sodium to chlorine.  
 B Sodium ions are only weakly attracted to the chloride ions.  
 C The electrons in the sodium chloride are free to move.  
 D The sodium ions and the chloride ions are free to move.
- 10 Which equation describes the most suitable reaction for making lead sulphate?
- A  $\text{Pb} + \text{H}_2\text{SO}_4 \rightarrow \text{PbSO}_4 + \text{H}_2$   
 B  $\text{PbCO}_3 + \text{H}_2\text{SO}_4 \rightarrow \text{PbSO}_4 + \text{CO}_2 + \text{H}_2\text{O}$   
 C  $\text{Pb}(\text{NO}_3)_2 + \text{H}_2\text{SO}_4 \rightarrow \text{PbSO}_4 + 2\text{HNO}_3$   
 D  $\text{Pb}(\text{OH})_2 + \text{H}_2\text{SO}_4 \rightarrow \text{PbSO}_4 + 2\text{H}_2\text{O}$
- 11 In which oxide does X have the same oxidation state as in the chloride,  $\text{XCl}_3$ ?
- A  $\text{X}_3\text{O}$                       B  $\text{X}_2\text{O}$                       C  $\text{XO}_2$                       D  $\text{X}_2\text{O}_3$
- 12 A sample of copper contains a metal impurity which is below copper in the reactivity series. The diagram shows the apparatus used for refining the sample.




The loss in mass of the anode (positive electrode) is 50 g and the gain in mass of the cathode (negative electrode) is 45 g.

What is the percentage purity of this sample of copper?

- A 10.0%                      B 11.1%                      C 90.0%                      D 95.0%
- 13 One mole of a sample of hydrated sodium sulphide contains 162 g of water of crystallisation. What is the correct formula of this compound?
- A  $\text{Na}_2\text{S} \cdot 3\text{H}_2\text{O}$                       B  $\text{Na}_2\text{S} \cdot 5\text{H}_2\text{O}$                       C  $\text{Na}_2\text{S} \cdot 7\text{H}_2\text{O}$                       D  $\text{Na}_2\text{S} \cdot 9\text{H}_2\text{O}$

14 The diagram shows the electrolytic production of aluminium.



What are the products at the electrodes?

	negative electrode	positive electrode
<b>A</b>	solid aluminium	hydrogen
<b>B</b>	solid aluminium	oxygen
<b>C</b>	liquid aluminium	hydrogen
<b>D</b>	liquid aluminium	oxygen

15 When dilute sulphuric acid is electrolysed between platinum electrodes, which statements are correct?


- 1 Hydrogen is released at the cathode.
- 2 Oxygen is released at the anode.
- 3 Sulphur is released at the anode.
- 4 The acid becomes more dilute.

**A** 1 and 2      **B** 1 and 3      **C** 2 and 4      **D** 4 only

16 Which of the following is an endothermic reaction?

- A** the combustion of ethanol in air
- B** the formation of a carbohydrate and oxygen from carbon dioxide and water
- C** the oxidation of carbon to carbon dioxide
- D** the reaction between hydrogen and oxygen


17 At 400 °C the reaction between hydrogen and iodine reaches an equilibrium.







Which change in conditions would increase the percentage of hydrogen iodide in the equilibrium mixture?

- A a decrease in pressure
- B a decrease in temperature
- C an increase in pressure
- D an increase in temperature


18 The diagram shows the reaction pathway for a reaction without a catalyst.



Which diagram shows the addition of a catalyst which speeds up the reaction?



- 19 Sulphur dioxide reacts with aqueous bromine according to the following equation.



Which element has been oxidised?

- A bromine  
 B hydrogen  
 C oxygen  
 D sulphur
- 20 When 20 cm<sup>3</sup> of a 2 mol/dm<sup>3</sup> solution of potassium hydroxide is mixed with 20 cm<sup>3</sup> of a 1 mol/dm<sup>3</sup> solution of sulphuric acid, the temperature of the mixture rises.

What best explains this?

- A Sulphuric acid is a strong acid.  
 B The potassium hydroxide solution is more concentrated than the sulphuric acid solution.  
 C The reactants have a higher energy content than the products.  
 D Potassium hydroxide is a very strong alkali.
- 21 A colourless gas is passed into each of three different solutions. The results for each solution are shown in the table.



solution	result
potassium iodide	stays colourless
acidified potassium dichromate(VI)	orange to green
acidified potassium manganate(VII)	purple to colourless

What is the colourless gas?

- A an acid  
 B an alkali  
 C an oxidising agent  
 D a reducing agent
- 22 Which observation is typical of a solid non-metal element?
- A It reacts vigorously with chlorine.  
 B It conducts electricity.  
 C It has more than one oxidation state.  
 D It forms an acidic oxide.



23 Which equation represents the reaction between hydrochloric acid and sodium hydroxide?



24 The following statements about dilute sulphuric acid are all correct.

- 1 A white precipitate is formed when aqueous barium chloride is added.
- 2 The solution turns anhydrous copper(II) sulphate from white to blue.
- 3 Addition of Universal Indicator shows that the solution has a pH value of less than 7.0.
- 4 The solution reacts with copper(II) oxide, forming a blue solution.

Which two statements confirm the acidic nature of the solution?

- A 1 and 2      B 1 and 3      C 2 and 4      D 3 and 4

25 Ammonia gas is produced when solid ammonium chloride is heated with

- A calcium hydroxide.  
B calcium sulphate.  
C hydrochloric acid.  
D magnesium nitrate.

26 Sulphur and selenium (Se) are in the same group of the Periodic Table.

From this, we would expect selenium to form compounds having the formulae

- A  $SeO$ ,  $Na_2Se$  and  $NaSeO_4$ .  
B  $SeO_2$ ,  $Na_2Se$  and  $NaSeO_4$ .  
C  $SeO_2$ ,  $Na_2Se$  and  $Na_2SeO_4$ .  
D  $SeO_3$ ,  $NaSe$  and  $NaSeO_4$ .

27 X and Y are diatomic elements. X is less reactive than Y.

What are elements X and Y?

	X	Y
<b>A</b>	chlorine	iodine
<b>B</b>	fluorine	nitrogen
<b>C</b>	iodine	bromine
<b>D</b>	oxygen	nitrogen


28 A metal X, in Group I of the Periodic Table, would be expected to

- A** form a nitrate of formula  $X(\text{NO}_3)_2$ .
- B** form an acidic oxide.
- C** form an insoluble chloride.
- D** produce hydrogen from cold water.

29 Four test-tubes were set up as shown.

Each piece of iron was protected on one side by a different coating.

In which test-tube is the iron **least** likely to rust?



30 Three types of steel have different properties.

steel 1 easily shaped

steel 2 brittle

steel 3 resistant to corrosion

What are the names of these three types of steel?


	steel 1	steel 2	steel 3
<b>A</b>	high carbon	mild	stainless
<b>B</b>	high carbon	stainless	mild
<b>C</b>	mild	high carbon	stainless
<b>D</b>	mild	stainless	high carbon

31 Aluminium is used to make saucepans because of its apparent lack of reactivity.

Which property of aluminium explains its unreactivity?

- A** It has a high electrical conductivity.
- B** It has a low density.
- C** It has a surface layer of oxide.
- D** It is in Group III of the Periodic Table.


- 32 The diagram shows the apparatus used in an experiment to reduce substance Q with the gas generated in the flask.



What are substances P and Q?

	P	Q
<b>A</b>	copper	copper(II) oxide
<b>B</b>	lead	lead(II) oxide
<b>C</b>	magnesium	zinc oxide
<b>D</b>	zinc	copper(II) oxide

- 33 The flow chart shows how impure water can be treated to produce drinkable water.



What is **not** removed from the water by this process?


- A** clay particles
- B** microbes
- C** nitrates
- D** odours

34 A solid substance Z burns in air to form a product that is gaseous at 20°C.


What is Z?

- A hydrogen
- B carbon monoxide
- C carbon
- D magnesium

35 A section of a polymer is shown.



The structure of its monomer is




The monomer undergoes condensation polymerisation to form the polymer.

What is made each time a monomer adds to the polymer?

- A hydrogen molecules, H<sub>2</sub>
- B hydroxide ions, OH<sup>-</sup>
- C oxygen atoms, O
- D water molecules, H<sub>2</sub>O


36 Carboxylic acids react with alcohols to form esters.

Which acid and alcohol react together to form the following ester?




- A propanoic acid and ethanol
- B propanoic acid and methanol
- C ethanoic acid and ethanol
- D ethanoic acid and methanol

37 Which two compounds are members of the same homologous series?



- A** 1 and 2      **B** 1 and 3      **C** 1 and 4      **D** 2 and 4

38 The diagram shows the structure of the compound 1,3-butadiene.



How many molecules of hydrogen are needed to saturate one molecule of 1,3-butadiene?

- A** 1      **B** 2      **C** 3      **D** 4

39 Which compound has more than two carbon atoms per molecule?

- A** ethyl ethanoate  
**B** ethene  
**C** ethane  
**D** ethanoic acid

40 Alkanes are a homologous series of organic compounds.

Which statement about alkanes is correct?

- A** Their boiling points increase as the length of the carbon chain increases.  
**B** Their general formula is  $\text{C}_n\text{H}_{2n}$ .  
**C** They are unsaturated hydrocarbons.  
**D** They take part in addition reactions.



**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																																																																																																	
I	II	III	IV	V	VI	VII	0					0																																																																																							
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4	1 <b>H</b> Hydrogen 1	11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	13 <b>Al</b> Aluminium 13	14 <b>N</b> Nitrogen 7	15 <b>O</b> Oxygen 8	16 <b>F</b> Fluorine 9	17 <b>Ne</b> Neon 10	18 <b>Ar</b> Argon 18	19 <b>K</b> Potassium 19	20 <b>Ca</b> Calcium 20	21 <b>Sc</b> Scandium 21	22 <b>Ti</b> Titanium 22	23 <b>V</b> Vanadium 23	24 <b>Cr</b> Chromium 24	25 <b>Mn</b> Manganese 25	26 <b>Fe</b> Iron 26	27 <b>Co</b> Cobalt 27	28 <b>Ni</b> Nickel 28	29 <b>Cu</b> Copper 29	30 <b>Zn</b> Zinc 30	31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36	37 <b>Rb</b> Rubidium 37	38 <b>Sr</b> Strontium 38	39 <b>Y</b> Yttrium 39	40 <b>Zr</b> Zirconium 40	41 <b>Nb</b> Niobium 41	42 <b>Mo</b> Molybdenum 42	43 <b>Tc</b> Technetium 43	44 <b>Ru</b> Ruthenium 44	45 <b>Rh</b> Rhodium 45	46 <b>Pd</b> Palladium 46	47 <b>Ag</b> Silver 47	48 <b>Cd</b> Cadmium 48	49 <b>In</b> Indium 49	50 <b>Sn</b> Tin 50	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54	55 <b>Cs</b> Caesium 55	56 <b>Ba</b> Barium 56	57 <b>La</b> Lanthanum 57	58-71 <b>Lanthanoid series</b>	72 <b>Hf</b> Hafnium 72	73 <b>Ta</b> Tantalum 73	74 <b>W</b> Tungsten 74	75 <b>Re</b> Rhenium 75	76 <b>Os</b> Osmium 76	77 <b>Ir</b> Iridium 77	78 <b>Pt</b> Platinum 78	79 <b>Au</b> Gold 79	80 <b>Hg</b> Mercury 80	81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86	87 <b>Fr</b> Francium 87	88 <b>Ra</b> Radium 88	89 <b>Ac</b> Actinium 89	90-103 <b>Actinoid series</b>	91 <b>Th</b> Thorium 91	92 <b>Pa</b> Protactinium 92	93 <b>U</b> Uranium 93	94 <b>Pu</b> Plutonium 94	95 <b>Am</b> Americium 95	96 <b>Cm</b> Curium 96	97 <b>Bk</b> Berkelium 97	98 <b>Cf</b> Californium 98	99 <b>Es</b> Einsteinium 99	100 <b>Fm</b> Fermium 100	101 <b>Md</b> Mendelevium 101	102 <b>No</b> Nobelium 102	103 <b>Lr</b> Lawrencium 103	133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	146 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	163 <b>Ho</b> Holmium 67	165 <b>Er</b> Erbium 68	167 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Key

a	<b>X</b>	a = relative atomic mass
b	<b>X</b>	X = atomic symbol
		b = proton (atomic) number

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.