

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

GCE Ordinary Level

## **MARK SCHEME for the October/November 2012 series**

### **5070 CHEMISTRY**

**5070/32**

Paper 3 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012	5070	32

1 (a) Titration

Accuracy 8 marks

For the two best titres give:

4 marks for a value within  $0.2 \text{ cm}^3$  of supervisor

2 marks for a value within  $0.3 \text{ cm}^3$  of supervisor

1 mark for a value within  $0.4 \text{ cm}^3$  of supervisor

Concordance 3 marks

Give:

3 marks if all the ticked values are within  $0.2 \text{ cm}^3$

2 marks if all the ticked values are within  $0.3 \text{ cm}^3$

1 mark if all the ticked values are within  $0.4 \text{ cm}^3$

Average 1 mark

Give 1 mark if the candidate calculates a correct average (error not greater than 0.05) of all his/her ticked values. [12]

Assuming a  $25.0 \text{ cm}^3$  pipette and a titre of  $24.6 \text{ cm}^3$ .

(b) concentration of sulfuric acid in P

$$= \frac{25.0 \times 0.08}{24.6 \times 2} \quad (1)$$

$$= 0.0407 \quad (1) \quad [2]$$

(c) moles of sulfuric acid that reacted with carbonate

$$= 0.1 - 0.0407 \quad (1)$$

$$= 0.0593 \quad [1]$$

(d) moles of carbonate that reacted with sulfuric acid

$$= 0.0593 \quad (1) \quad [1]$$

(e) relative atomic mass of M

$$= \frac{5.04 - 60}{0.0593} \quad (1)$$

$$= 24.9 \quad [1]$$

[Total: 17]

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – October/November 2012</b>	<b>5070</b>	<b>32</b>

**2 R** is ammonium aluminium sulfate

<b>Test</b>	<b>Notes</b>
<p><b>General points</b>            For ppt            allow solid, suspension, powder</p> <p>For gases            Name of gas requires test to be at least partially correct.            Effervesces = bubbles = gas vigorously evolved but not gas evolved</p> <p>Solutions            Colourless not equivalent to clear, clear not equivalent to colourless</p>	
<b>Solution R</b>	
<p><b>Test 1</b></p> <p>(a) white ppt (1)            (b) soluble in excess (1)            colourless solution (1)</p>	
<p><b>Test 2</b></p> <p>white ppt (1)            soluble in excess (1)            colourless solution (1)</p>	
<p><b>Test 3</b></p> <p>gas turns litmus blue (1)            ammonia (1)</p>	to score ammonia mark there must be an indication of the gas e.g. 'smell of ammonia', 'pungent gas', 'alkaline gas', 'tested with litmus'
<p><b>Test 4</b></p> <p>white ppt (1)            insoluble in excess (1)</p>	
<p><b>Test 5</b></p> <p>turns red (1)</p>	accept pink
<p><b>Test 6</b></p> <p>effervescence (1)            turns limewater milky (1)            carbon dioxide (1)</p>	to score carbon dioxide mark there must be some indication of the limewater test e.g. 'tested with limewater',

Page 4	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2012	5070	32

<b>Test 7</b> effervescence (1) 'pops' with a lighted splint (1) hydrogen (1)	to score hydrogen mark there must be some indication of a test e.g. 'popped with a splint', 'tested with a burning splint'
<b>Test 8</b> <b>(a)</b> white ppt (1) <b>(b)</b> remains in acid (1)	

[19]

$Al^{3+}$  (there must be a white ppt which is soluble in Test 1 **and** insoluble in Test 4) (1)

$NH_4^+$  (at least 1 mark must be scored in Test 3) (1)

$H^+$  (Test 4 correct or effervescence in Test 6 or 7) (1)

$SO_4^{2-}$  (Test 8 correct in both **(a)** & **(b)**) (1)

[4]

**[Total: 23]**