

**MARK SCHEME for the May/June 2012 question paper  
for the guidance of teachers**

**4024 MATHEMATICS (SYLLABUS D)**

**4024/22**

Paper 2, maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – May/June 2012</b>	<b>4024</b>	<b>22</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
soi	seen or implied

### SECTION A

Qu	Answers	Mark	Part marks		
<b>1</b>	<b>(a)</b>	pentagon	1		
	<b>(b)</b>	$x \leq 5$ oe $x + y \leq 6$ oe	1 1	After 0 + 0, <b>C1</b> for $x \dots 5$ oe <b>and</b> $x + y \dots 6$ oe with incorrect (in)equalities for "...".	
	<b>(c)</b>	line passing through (5, 0) and (8, 3)	1		
	<b>(d)</b>	-1 cao	1		
<b>2</b>	<b>(a)</b>	$x = \frac{3}{5}$ oe	2		<b>M1</b> for $14x + 2 - 4x - 8 (= 0)$ or better
	<b>(b)</b>	$y = \pm 9$	1		
	<b>(c) (i)</b>	$h(h + 6) = 33.25$ Rearranging correctly to give $4h^2 + 24h - 133 = 0$	<b>M1</b> <b>A1</b>	3	
		$h = 3.5$ oe and $-9.5$ oe			
	<b>(ii)</b>	9.5 cm or <i>their</i> (positive $h$ ) + 6	1 ft	Using $\frac{p \pm (or + or -)\sqrt{q}}{r}$ <b>B1</b> for $p = -24$ and $r = 8$ (or $2 \times 4$ ) <b>B1</b> for $q = 24^2 - 4 \times 4 \times (-133)$ , or 2704 or $\sqrt{q} = 52$ Using factors <b>B2</b> for $(2h - 7)(2h + 19) (= 0)$ or <b>B1</b> for $(2h \dots 7)(2h \dots 19) (= 0)$ where ... are not both the correct signs	

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	22

3	(a)	36 minutes cao	1	<b>M1</b> for 85% = 4.42 oe
	(b)	5 km/h cao	1	
	(c)	\$5.2(0)	2	
	(d)	Horizontal line from (1800, 4) to (2000, 4)	1	
	(e)	Line from (2000, 4) to (2030, 2.5) or ft from ( <i>their</i> 2000, 4) to (( <i>their</i> 2000) + 30, 2.5)	1 ft	
4	(a)	279° to 283°	1	<b>M1</b> for correctly positioned <i>Y</i> with one correct construction arc, or with no construction arcs or <b>M1</b> for <i>Y</i> above <i>WX</i> and two correct construction arcs
	(b)	<i>Y</i> correctly positioned with two correct construction arcs	2	
	(c)	<i>Z</i> on a bearing of 072° from <i>W</i> <i>Z</i> is due North of <i>X</i> 27 to 29 km	1 1 1	
5	(a) (i)	25, 9	1	<b>M1</b> for 7.75 to 7.85 and 6.55 to 6.65 seen  <b>B1</b> for 22 seen or <b>C1</b> for $\frac{38}{60}$ oe  <b>M1</b> for $3.5 \times 4 + 4.5 \times 15 + 5.5 \times 20 + 6.5 \times 13 + 7.5 \times 5 + 8.5 \times 3$ i.e. $14 + 67.5 + 110 + 84.5 + 37.5 + 25.5$ (= 339) <b>M1</b> for $\div 60$ (or $4 + \dots$ )  <b>B1</b> for 65%, or for 21 seen
	(ii)	7.15 to 7.25	1	
	(iii)	1.1 to 1.3	2	
	(iv)	$\frac{22}{60}$ oe, or 0.36 to 0.37, or 36 to 37%	2	
	(b) (i)	5.65 cm	3	
(ii)	35%	2		
6	(a) (i)	4, 8, 10, 14	1	<b>B1</b> for Venn Diagram and 17 in $(G \cup S)'$
	(ii)	1	1	
	(iii)	3 out of {2, 5, 7, 11, 13}	1	
	(b)	Correct shading	1	
	(c)	16	2	

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	22

7	(a) (i)	$b - a$	1	<b>B1</b> for one correct term or for $-\frac{1}{4}b - \frac{1}{2}c$
	(ii)	$\frac{1}{2}(b + c)$	1	
	(iii)	$\frac{1}{4}b + \frac{1}{2}c$ or <i>their</i> (aii) $-\frac{1}{4}b$	2 ft	
	(b) (i)	$\frac{2}{5}b - \frac{2}{5}a$	1	
	(ii)	2 : 3 oe	1	
	(iii)	$\frac{3}{5}a - \frac{7}{20}b - c$	2	

### SECTION B

8	(a) (i)	128 to 128.4	3	<b>M2</b> for $\cos B = \frac{20^2 + 2^2 - 21.3^2}{2 \times 20 \times 2}$ or <b>M1</b> for $21.3^2 = 20^2 + 2^2 - 2 \times 20 \times 2 \times \cos B$
	(ii)	14.3 to 14.5	3	<b>M2</b> for $\sin((\text{their}(ai) - 90)) = \frac{x}{20}$ oe (12.4)
	(b) (i)	29°	1	
	(ii)	9.6 to 9.7	3	<b>M2</b> for $CE = \frac{8.6 \times \sin 33}{\sin(\text{their}(bi))}$ or <b>M1</b> for $\frac{CE}{\sin 33} = \frac{8.6}{\sin(\text{their}(bi))}$ oe
	(iii)	11.6 to 11.7	2	<b>C1</b> for 78.3 to 78.4 or <b>B1</b> for 11.6 to 11.7 or 78.3 to 78.4 seen in working

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	22

9	(a) (i)	$\begin{pmatrix} -5 & 0 \\ 1 & 2 \end{pmatrix}$	1	
	(ii)	$\begin{pmatrix} 0 & -\frac{1}{3} \\ \frac{1}{2} & \frac{1}{6} \end{pmatrix}$ or $\frac{1}{6}\begin{pmatrix} 0 & -2 \\ 3 & 1 \end{pmatrix}$ seen	2	<b>M1</b> for $\begin{pmatrix} 0 & -2 \\ 3 & 1 \end{pmatrix}$ seen, or for attempting to multiply $\frac{1}{6}$ by a $2 \times 2$ matrix
	(b) (i)	$\begin{pmatrix} 974 \\ 328 \end{pmatrix}$	2	<b>B1</b> for one correct value, or for (974 328)
	(ii)	Mention of cost <b>and</b> (both carpet and underlay)	1	
	(c) (i)	<i>F</i> correctly positioned	2	<b>M1</b> for 2 correct vertices plotted or <b>C1</b> for correct reflection in $y = x$
	(ii)	<i>G</i> correctly positioned	2	<b>M1</b> for 2 correct vertices plotted or for 3 correct coordinates calculated
	(iii) (a)	4; or -4	1	
	(iii) (b)	$m = 1, n = \text{their(c)(iii)(a)}$	1 ft strict	
10	(a) (i)	686 to 687 cm <sup>2</sup>	4	<b>M1</b> for using $\frac{300}{360}$ oe <b>M1</b> for using $\pi \times 15^2$ <b>M1</b> for $\frac{1}{2} \times 15^2 \times \sin 60$ oe (= 97.4278 ...)
	(ii)	93.5 to 93.6 cm	2	<b>M1</b> for $\frac{300}{360} \times 2 \times \pi \times 15$ (= 78.5398...)
	(b)	12.4 cao	2	<b>B1</b> for $\frac{1}{2}(15 + 25)h = 248$ oe
	(c) (i)	3	1	
	(ii)	37.36 to 37.4 cm <sup>2</sup>	3	<b>M1</b> for 248 + <i>their(a)(i)</i> <b>M1</b> for division by 5 <sup>2</sup> soi (indep)

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	4024	22

11	(a) (i)	$56^\circ$	1	
	(ii)	$34^\circ$ or $90 - \text{their(a)(i)}$	1 ft	
	(iii)	$62^\circ$ or $(180 - \text{their(a)(i)})/2$	1 ft	
	(iv)	$42^\circ$	2	<b>B1</b> for $\hat{A}CD = 28^\circ$ seen
	(v)	$110^\circ$	2	<b>B1</b> for seeing $\hat{D}AC = 42^\circ$ ; or $\hat{A}BC = 70^\circ$ ; or $\hat{A}BO = 8^\circ$
	(b) (i) (a)	$32^\circ$ alternate (to $\hat{P}QT$ )	1	If $0 + 0$ , then <b>C1</b> for <b>both</b> $32^\circ$ and $116^\circ$
	(i) (b)	$116^\circ$ $\hat{S}PQ$ and $\hat{P}QR$ are allied, interior, adjacent	1	
	(ii)	<b>Full</b> line parallel to $PS$ , 4 cm away <b>Full</b> arc, centre $R$ , radius 5 cm	1 1	
	(iii)	Correct region shaded	1 ft	
12	(a)	Convincing reason. e.g. The height of the cuboid would then be $-2$ cm	1	
	(b)	$x^2(8-x)$ and $\frac{4}{3} \times 3 \times (\frac{x}{2})^3$ Correct expansion and simplification to $8x^2 - \frac{x^3}{2}$	<b>M1</b> <b>A1</b>	
	(c) (i)	58.5	1	
	(ii)	7 correct plots and a smooth curve	3	<b>B2</b> for 6 or 7 correct (ft) plots or <b>B1</b> for 4 or 5 correct (ft) plots
	(iii)	3.3 to 3.5	2	<b>B1</b> for 4.5 to 4.7 seen
	(d)	$4.7 \leq x < 5$ (dep on <b>M1</b> )	3	<b>B1</b> for $(y =) 27x$ seen or implied <b>M1</b> for attempt at drawing correct line